

WIND ENERGY: TECHNOLOGY, GLOBAL EXPANSION, AND THE PATH TO A DECARBONISED POWER SYSTEM

Shodiyeva Nozina

Jizzakh Polytechnic Institute, Uzbekistan.

Annotatsiya:

Ushbu maqolada shamol energiyasi texnologiyalarining rivojlanishi, global miqyosda kengayishi va kam karbon iqtisodiyotiga o'tishda tutgan o'rnini tahlil qilinadi. Quruqlikdagi va dengiz ustidagi shamol elektrostantsiyalari, suzuvchi platforma tizimlari va shamol energiyasini elektr tarmog'iga integratsiya qilish muammolari ilmiy-texnik nuqtai nazardan ko'rib chiqiladi. Shuningdek, shamol energetikasining iqtisodiy samaradorligi, ekologik ta'siri va energetika siyosatidagi roli yoritiladi.

Annotation

This article analyses the technological development of wind energy, its global expansion trajectory, and its pivotal role in the transition toward a low-carbon economy. Onshore and offshore wind turbine systems, floating offshore platform technologies, and the challenges of integrating variable wind generation into electrical grid infrastructure are examined from scientific and engineering perspectives. The economic competitiveness, environmental impact, and policy dimensions of wind energy development are also explored in detail.

Keywords: wind energy, offshore wind, onshore wind, floating wind, energy transition, grid integration, capacity factor, turbine technology, decarbonisation, renewable electricity

1. Introduction

Among the suite of renewable energy technologies that underpin the global transition away from fossil fuels, wind energy occupies a position of singular strategic importance. Driven by differential solar heating of the Earth's surface and shaped by topographic, oceanic, and atmospheric dynamics, wind constitutes an effectively inexhaustible, geographically widespread, and increasingly cost-competitive energy resource. Since the early 1990s, when modern utility-scale wind generation first achieved commercial viability, the sector has undergone a sustained trajectory of capacity expansion, cost reduction, and technological refinement that few industrial sectors can match in pace or scope.

By the close of 2023, cumulative global installed wind capacity had surpassed 1,000 gigawatts (GW), generating approximately 2,300 terawatt-hours (TWh) of electricity annually and satisfying nearly 7 percent of worldwide electricity demand (Global Wind Energy Council [GWEC], 2024). The Intergovernmental Panel on Climate Change (IPCC) has identified wind power as one of the most scalable and cost-effective instruments available for rapid decarbonisation of electricity systems, with lifecycle greenhouse gas emission intensities typically in the range of 7 to 15 grams of carbon dioxide-equivalent per kilowatt-hour—comparable to nuclear and substantially lower than any fossil fuel technology (IPCC, 2022).

Nevertheless, realising the full potential of wind energy entails navigating a complex constellation of technical, economic, environmental, and institutional challenges. The variability of wind as an energy source imposes integration costs on power systems designed for dispatchable generation. Land-use constraints, visual impact concerns, and acoustic considerations complicate the siting of onshore wind projects in densely populated regions. Supply chain and manufacturing bottlenecks have at times slowed offshore wind deployment. And the geographically uneven

distribution of high-quality wind resources raises important questions of energy equity and international cooperation. This article provides a comprehensive interdisciplinary analysis of wind energy technology, economics, environmental dimensions, and policy frameworks, with the aim of informing both scholarly and professional audiences engaged with the energy transition.

2. Wind Turbine Technology and Engineering Principles

2.1 Aerodynamic Fundamentals and Turbine Configurations

The extraction of kinetic energy from wind by horizontal-axis wind turbines (HAWTs) is governed by the principles of aerodynamic lift and, ultimately, constrained by the Betz limit, which establishes a theoretical maximum power extraction efficiency of 59.3 percent of the kinetic energy available in a given wind stream. Modern commercial turbines operate at power coefficients in the range of 0.45 to 0.50, representing a close approximation to this theoretical bound. The power available from wind scales with the cube of wind speed and linearly with the swept area of the rotor; these relationships create powerful engineering incentives to deploy turbines with the largest practicable rotor diameters at sites with the highest mean wind speeds.

Contemporary onshore turbines have undergone dramatic scaling over the past three decades. A typical commercial turbine installed in the mid-1990s had a rotor diameter of approximately 40 metres and a nameplate capacity of 500 kilowatts (kW). By contrast, modern utility-scale onshore machines routinely feature rotor diameters exceeding 150 metres and rated capacities of 5 to 7 MW, with hub heights of 100 to 160 metres enabling access to faster and less turbulent wind resources at altitude. The drivetrain architectures employed have diversified to encompass geared systems with doubly-fed induction generators, medium-speed geared permanent-magnet generators, and direct-drive permanent-magnet configurations, each representing different engineering trade-offs between mechanical complexity, reliability, weight, and cost.

2.2 Offshore Wind: Fixed-Bottom and Floating Platforms

The offshore wind sector has evolved as a distinct technological domain, driven by the recognition that maritime environments offer wind resources significantly superior to those available onshore in most populated regions. Offshore wind speeds are typically 20 to 40 percent higher than inland equivalents, and the absence of terrain-induced turbulence yields more consistent generation profiles with higher capacity factors. The United Kingdom, Denmark, the Netherlands, Germany, and China have collectively driven the early development of the offshore wind industry, with the United Kingdom hosting the world's largest single installed offshore wind capacity as of 2024.

Fixed-bottom offshore foundations—including monopile, jacket, tripod, and gravity-base structures—are economically viable at water depths of up to approximately 60 metres, covering a substantial portion of the shallow continental shelf regions adjacent to major offshore wind markets in Europe and East Asia. However, the majority of offshore wind resource potential globally lies in water depths exceeding 60 metres, where fixed-bottom structures become prohibitively costly. Floating offshore wind platforms—including semi-submersible, spar-buoy, tension-leg platform, and barge configurations—address this limitation by employing mooring systems anchored to the seabed rather than rigid structural connections. The Hywind Scotland project, commissioned in 2017, demonstrated the commercial feasibility of floating offshore wind at scale. As of 2024, the global floating offshore wind pipeline exceeds 250 GW of announced and consented projects, though commercial-scale arrays remain in early-stage deployment (GWEC, 2024).

3. Economic Dimensions of Wind Energy Development

3.1 Cost Reduction Trajectories

The economic case for wind energy has been transformed by sustained cost reductions driven by technological learning, economies of scale, supply chain maturation, and financing cost

compression. The International Renewable Energy Agency (IRENA) reports that the global weighted-average levelised cost of electricity (LCOE) from onshore wind fell by approximately 69 percent between 2010 and 2023, reaching USD 0.033 per kWh—a figure that renders onshore wind the cheapest source of new electricity generation in a majority of markets worldwide (IRENA, 2024). Offshore wind has followed a similarly steep learning curve, with LCOE declining from approximately USD 0.188 per kWh in 2010 to USD 0.081 per kWh in 2023, though recent inflationary pressures on steel, labour, and logistics have moderated cost reductions in the near term.

The economic competitiveness of wind energy is further strengthened by its negligible marginal generation cost once capital infrastructure is in place. Unlike fossil fuel plants, wind turbines incur no fuel expenditure; their operational cost profile consists primarily of operations and maintenance expenses, which typically represent 15 to 25 percent of total lifetime project costs. This characteristic makes wind generation highly advantageous in wholesale electricity markets governed by marginal cost pricing, where zero-marginal-cost renewables systematically displace higher-cost fossil fuel generators during periods of wind availability—a phenomenon that drives down average wholesale electricity prices and is reshaping revenue models across the power sector.

3.2 Grid Integration and System-Level Costs

The variable and partly unpredictable output of wind generation introduces system-level costs not captured in plant-level LCOE calculations. These integration costs include expenditures on balancing services, reserve capacity, transmission network reinforcement, and—at higher penetration levels—curtailment of surplus renewable generation. Studies conducted across European and North American power systems consistently find that integration costs for wind are manageable at penetration levels up to approximately 20 to 30 percent of annual electricity supply when adequate transmission interconnection and flexible generation or storage assets are available, but increase more steeply as penetration rises further (IEA, 2023).

Mitigating integration costs requires a portfolio of complementary measures: expanding transmission infrastructure to enable geographic smoothing of variable wind output across large areas; deploying demand-side flexibility through smart charging of electric vehicles and industrial load management; investing in grid-scale energy storage—including lithium-ion battery systems for short-duration balancing and emerging long-duration storage technologies such as pumped hydro, compressed air, green hydrogen, and flow batteries for seasonal or multi-day applications; and strengthening international electricity market integration to allow cross-border trade of renewable surpluses and deficits.

4. Environmental Impacts and Sustainability Considerations

Wind energy's lifecycle greenhouse gas emissions are among the lowest of any electricity generation technology, typically ranging from 7 to 15 gCO₂-equivalent per kWh when accounting for manufacturing, installation, operation, and decommissioning—compared to 820 gCO₂/kWh for unabated coal and 490 gCO₂/kWh for natural gas combined-cycle generation (IPCC, 2022). However, characterising wind energy as environmentally benign in all dimensions would be an oversimplification. Several ecological and social impacts require careful consideration and mitigation.

Collision mortality of birds and bats with rotating turbine blades constitutes the most widely documented ecological concern associated with onshore wind development. The severity of this impact is highly site-specific, varying with local species assemblages, migratory flight paths, and landscape context. Modern mitigation approaches include radar-activated blade feathering systems that halt turbine rotation upon detection of approaching flocks, strategic siting away from migration corridors, and post-construction monitoring programmes informed by species-specific risk assessments. Offshore wind installations may affect marine mammal behaviour during

construction phases through underwater noise from pile-driving operations, necessitating noise mitigation measures and exclusion zones during sensitive periods.

The end-of-life management of wind turbine components—particularly composite fibre-reinforced polymer rotor blades, which currently lack cost-effective recycling pathways at scale—represents an emerging sustainability challenge. The wind industry has invested substantially in research and development aimed at recyclable blade materials and mechanical, chemical, and thermal recycling technologies. The Global Wind Energy Council has adopted a commitment among member companies to eliminate blades from landfill by 2025, spurring innovation in blade material design and end-of-life processing. Life cycle analyses suggest that even accounting for manufacturing emissions and end-of-life waste streams, wind energy's net environmental benefit over its operational lifetime remains overwhelming relative to any fossil fuel alternative (UNEP, 2023).

5. Policy Frameworks and Global Deployment Trends

5.1 Support Mechanisms and Market Design

The development of the wind energy industry has been shaped profoundly by public policy. Early-stage commercial deployment in Denmark, Germany, and Spain during the 1990s and 2000s was catalysed by feed-in tariff mechanisms that guaranteed wind generators fixed, above-market revenue streams for specified durations, providing investment certainty sufficient to mobilise private capital at scale and initiate learning-curve cost reductions. As wind technologies matured and costs declined, many jurisdictions transitioned toward competitive auction mechanisms—in which developers bid for long-term contracts for difference against a government-set reference price—as a more economically efficient means of procuring renewable capacity while containing public expenditure.

Renewable portfolio standards and clean electricity standards in the United States, mandatory renewable energy targets in European Union member states under the Renewable Energy Directive, and national clean energy commitments embedded in countries' Nationally Determined Contributions under the Paris Agreement have collectively established the policy scaffolding within which wind investment has flourished. The United States Inflation Reduction Act of 2022, which extended and expanded production tax credits for wind generation and introduced investment tax credits for offshore wind, is projected to mobilise several hundred billion dollars in additional private wind investment over the decade to 2032, significantly reshaping global capacity projections (BloombergNEF, 2024).

5.2 Regional Development Patterns

China has emerged as the dominant force in global wind energy deployment, accounting for over half of all new wind capacity additions globally in recent years. The country's vast territory encompasses world-class wind resources in Inner Mongolia, Xinjiang, Gansu, and the coastal zones of the eastern and southern provinces; its state-directed industrial policy has simultaneously cultivated a globally competitive domestic turbine manufacturing sector. Europe, the historical birthplace of utility-scale wind energy, continues to be a primary market and technology innovator, with the North Sea emerging as a focus of unprecedented offshore wind ambition: Denmark, Germany, the Netherlands, Belgium, and the United Kingdom have collectively announced plans for over 200 GW of offshore capacity in the North Sea by 2050, supported by political agreements at the highest governmental levels.

Emerging and developing economies represent the frontier of future wind energy growth. Countries across South Asia, Southeast Asia, Latin America, and sub-Saharan Africa possess substantial wind resources as yet largely untapped, and rapidly increasing electricity demand driven by population growth and economic development creates a window of opportunity to build decarbonised power systems from the outset rather than retrofitting carbon-intensive infrastructure.

Realising this potential requires mobilising international climate finance flows, strengthening domestic regulatory and grid management capacity, and developing regional electricity transmission infrastructure to enable the pooling of diverse renewable resources across national boundaries—a challenge that is as much institutional and political as it is technical (Naran et al., 2022).

6. Conclusion

Wind energy has completed a remarkable transition from a peripheral and heavily subsidised technology to a mainstream pillar of global electricity systems—cost-competitive with fossil fuels in most markets, capable of deployment at massive scale, and generating electricity with minimal lifecycle greenhouse gas emissions. The technological trajectory of the sector, from modest onshore turbines of the 1990s to multi-megawatt offshore giants and the emerging frontier of floating deep-water platforms, illustrates the transformative power of sustained innovation and policy commitment acting in concert.

Realising the sector's full decarbonisation potential requires continued progress on several fronts: managing grid integration at high penetration levels through investment in storage, interconnection, and demand flexibility; addressing ecological impacts through evidence-based siting and monitoring; establishing circular economy pathways for turbine components at end of life; and channelling sufficient capital toward wind development in emerging economies where the gap between resource potential and installed capacity remains widest. The collective international commitment to limit global warming articulated in the Paris Agreement implies a tripling or quadrupling of global wind capacity by 2035 relative to current levels—an extraordinary industrial and policy challenge, but one that the demonstrated capabilities of the wind sector make plausible if appropriate enabling conditions are sustained.

In sum, wind energy constitutes not merely a useful complement to the existing energy mix, but a foundational technology for the sustainable energy systems of the twenty-first century. Its continued development, deployment, and integration with other clean energy technologies represents one of the most consequential engineering and governance undertakings of our era.

References

1. BloombergNEF. (2024). New Energy Outlook 2024. Bloomberg Finance L.P.
2. Global Wind Energy Council (GWEC). (2024). Global Wind Report 2024. GWEC.
3. Intergovernmental Panel on Climate Change (IPCC). (2022). Climate Change 2022: Mitigation of Climate Change. Contribution of Working Group III to the Sixth Assessment Report. Cambridge University Press.
4. International Energy Agency (IEA). (2023). Integration of Variable Renewables: Costs and System Impacts. IEA.
5. International Energy Agency (IEA). (2024). World Energy Outlook 2024. IEA.
6. International Renewable Energy Agency (IRENA). (2024). Renewable Power Generation Costs in 2023. IRENA.
7. Naran, B., Connelly, J., Rosane, P., Bhattacharya, A., & Bazaz, A. (2022). Global Landscape of Climate Finance: A Decade of Data. Climate Policy Initiative.
8. United Nations Environment Programme (UNEP). (2023). Emissions Gap Report 2023: Broken Record – Temperatures Hit New Highs, Yet World Fails to Cut Emissions. UNEP.